fisuel			Country report		Chi	ina	Fisuel February 2025	
Questi	onnaire to es	timate the le	evel (%) of th	e Safety of	Users of Elec	ctricity in Dw	vellings in Co	ountries
	-				se criteria has a se criteria and th			
local experts, v	ve are applying t	the barometer i the 13 major c i		number of cou		//www.safetyba	arometer org/c	riteria/
				ria (1, 2, 3 or 4	4) in the yellow			<u></u>
	3 = Partially fu 2 = Not met Cr	Ifilled Criteria : iteria : criteria	criteria in your o part of the crite xnown but unap inexisting (scor	ria existing in oplied (score 1	your country (s	score 50%)		
Number of	4 - Fulfilled	3 - Partially	2 - Unapplied	1 - Unknown		Level of Electrical Safety in Dwellings		
criteria	7	1	0	5		65%		
Crit	eria		Quest	tion		Weight	Criteria	Score
1- Standards & rules		Are standards and rules in place?			10	4	10%	
Comments : G	B55024, JGJ242							
2- Initial verification		Is an initial inspection required?			10	4	10%	
Comments : Gl	B50303							
3- Periodic inspection		Is a periodic inspection required?			7,5	4	8%	
Comments : G	B55024, GB/T13	3955, T/ ASC33						
		Must there be proof of the inspection by the delivery of an inspection report?			5	1	0%	
Comments : X	xx							
		Is there a mechanism for inspection of existing installations?			10	3	5%	
Comments : X	XX							
6- Inspector		Must the person carrying out the inspection be a qualified nspector?			7,5	4	8%	
Comments : X	xx							

7- Electrical contractor or installer	Must the electrical contractor or installer be a qualified person?	5	4	5%				
Comments : XXX								
8- Role of utilities	Does the electric utility only connect the installation after having received a positive inspection report?	10	1	0%				
Comments : XXX								
9- Consumer education	r education Are consumers educated on the dangers of electricity		1	0%				
Comments : XXX								
10- Regulation	Is regulation in place that imposes standards for electrical installations and initial verification?	5	4	5%				
Comments : XXX								
11- Labelling and certification	Are products in the market adequately labeled for electrical safety, and is this labeling system understood?	5	1	0%				
Comments : XXX								
12- Role of manufacturers	Do manufacturers actively engage for electrical safety in the marketplace?	5	1	0%				
Comments : XXX								
13- Market surveillance	Is there adequate action on market surveillance from the authorities?	15	4	15%				
Comments : GB50303								
Confidentiel www.fisuel.org								

Confidentiel

www.fisuel.org



Country report

China

Fisuel February 2025

		Asia	
Classification	Criteria 8	China	
1	1 1- Standards & rules		
2	2 2- Initial verification		
3	3 3- Periodic inspection		
4	4- Inspection report	1	
5	5- Inspection for existing ins	3	
6	6- Inspector	4	
7	7- Electrical contractor or in:	4	
8	8- Role of utilities	1	
9	9- Consumer education	1	
10	10- Regulation	4	
11	11- Labelling and certificatio	1	
12	12- Role of manufacturers	1	
13	13- Market surveillance	4	

